


Second Edition

Light Plot


Deconstructed by Gregg Hillmar



Sample



Sample Plot



Vectorworks Light Plot Deconstruction, Version 2010
Published by Nemetschek North America, Inc.

Sample

gregg hillmar
gregg@lightplotdeconstructed.com

© 2009 gregg hillmar

All rights reserved. No part of this book may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording, faxing, emailing, posting online or by any information storage and retrieval system, without prior written permission of the publisher. Published in the U.S.A.

Vectorworks is a registered trademark of Nemetschek North America, Inc. in the U.S. and other countries. Windows is a registered trademark of Microsoft Corporation in the U.S. and other countries. Macintosh is a trademark of Apple Computer, Inc., registered in the U.S. and other countries. Adobe, Acrobat and Reader are registered trademarks of Adobe Systems in the U.S. and other countries.

The information in this book is distributed on an "as is" basis, without warranty. While every precaution has been taken in the preparation of this book, neither the author nor Nemetschek North America shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this book or by the computer software described in it.

For more Vectorworks training information, or to purchase more copies of this book, please visit www.vectorworks.net/training or call us at (410) 290-5114.

Table of Contents

Introduction 1

Vectorworks 3

In Ye Olde Days 7

Vectorworks Basics 11

Opening a new document 11

Workspaces 12

Palettes 12

Preferences 17

Program Preferences 17

Dimensions 19

Grids 21

Layers 25

Design Layers 25

Name 27

Scale 27

Stacking Order 27

Z and Delta Z 27

Opacity 28

Renderworks Background 28

Color 28

The Saved Views and the Viewport Buttons 28

Sheet Layers 29

Page Setup 30

Classes 33

Palettes 37

Resource Browser Palette 37

Object Info Palette 39

Sample

Saved Views	39
Save as Default	39
Vectorworks Spotlight	41
Start the Plot	41
Positions	49
Lighting Positions; OIP	51
Curved Lighting Positions	53
Lighting Positions: Truss	54
Focus Areas	55
Instrumentation	59
Placing Instrumentation	60
Instrument Insertion	61
Photometer Tool	65
Moving Lights	66
MultiCircuit Instruments	66
Label Legends	67
Accessories	71
Aligning Instruments	73
Twofering	75
Vertical Positions and Instruments	77
Paperwork	81
Viewports	85
Printing	91

Introduction



Hi, I'm Gregg Hillmar. I've been working for many years as a scenic and lighting designer for theatre and other entertainment industries. In addition to a vigorous freelance career, I have taught at a variety of graduate and undergraduate institutions before happily settling at Randolph-Macon College in Ashland, Virginia. I've been using Vectorworks, and before that MiniCad, since about 1992, and "full-time" since 1994 or so — based on the last hand-drafted show in my portfolio. I first experimented with drawing light plots and scenery in MacPaint, having bought my first Macintosh computer in late 1984. Subsequently I tried MacDraft, Canvas, and GenericCADD among others, but it was not until discovering MiniCad that I felt giving up the pencil was in order.

Fast forward several years, and I'm now asked to demonstrate Vectorworks by Nemetschek North America, the publishers of Vectorworks, at their booth at industry conventions including LDI, USITT, and SETC. I have also worked as a Vectorworks trainer and consultant for private corporations and public training seminars sponsored by theatrical organizations and educational institutions. I've done several Spotlight training sessions for NNA's own sales and tech support teams, including taking them into theatres to witness first hand the spaces, materials, and tools of our industry.

This book will take a quick look at how I use Vectorworks to draft lighting plots. My way is not the only way. It's not right or wrong. It's just the way my practice and workflow have evolved over the fifteen years I have been using Vectorworks. I'm reminded of Stanley McCandless's famous (at least to lighting designers) book ***A Method of Lighting the Stage***, which to many designers turned into *the* method of lighting the stage. There is no "*the*" implied here. My approach is not the end-all and be-all, but it works for me. This book reflects my approach. Feel free to adapt my ideas to your own approach.

My point of view is that theatrical drafting is about *communication*. It is somewhat free of the structures used by commercial draftsmen in strictly architectural practice, but the end results are the same. We need to communicate clearly and concisely with those we work with. They need to be able to understand in an instant what they are looking at and be able to use that information. Choices we make in line weight, dashes, hatches, symbols and all of the other graphics are the language in which we communicate. Page layout and choices of what is on each plate in a set of drawings puts that language into context. The composition of the page refines that context. We can turn out really beautiful drawings, full of style and grace, but unless the shop can read them and instantly understand what is being communicated, the drawings are just so much paper waiting to be recycled.

This book will certainly reflect my drafting style, as taught to me primarily by William H. Lockey (University of Richmond), and John Rothgeb and David Nancarrow (University of Texas Austin). My style has been further refined by many years of drafting scenery and lighting for the theatre, and working with myriad theatre artists who also draft. From them I've borrowed

what I like, and vowed to never do what I don't like. Note that this is *not* a book about drafting style. There are better books out there for that; some are CAD-specific, but the ones I like are not.

It is also worth noting that the output this book is geared towards is a 2-dimensional plot and paperwork. While we will delve into the 3-dimensional world of Vectorworks as it assists us in creating the plot, that plot, printed, is our final goal. And a plot, printed, is a 2-dimensional representation.

3-dimensional computer modeling, and lighting models, is perhaps the subject of another book.

Finally, there is not any discussion of DESIGN choices here; you're on your own for those. We need to remember that the output that this book is geared towards (the plot) is NOT art, but communication. Art happens in the theatre. Perhaps that is best described, even all these years later, by Robert Edmond Jones in "Light and Shadow in the Theatre," Chapter Six of *The Dramatic Imagination* (1941):

We handle our spotlights and gelatines and dimmers [...and CAD software...] in the theatre with the same delight and the same sense of mastery with which we drive a high-powered automobile or pilot an aeroplane. But at rare moments, in the long quiet hours of light-rehearsals, a strange thing happens. We are overcome by a realization of the livingness of light. As we gradually bring a scene out of the shadows, sending long rays slanting across a column, touching an outline with color, animating the scene moment by moment until it seems to breathe, our work becomes an incantation. We feel the presence of elemental energies (Jones, p. 113).

While we are studying to perfect ourselves in the use of the intricate mechanism of stage lighting we are learning to transcend it. Slowly, slowly, we begin to see lighting in the theatre, not only as an exciting craft but as an art, at once visionary and exact, subtle, powerful, infinitely difficult to learn. We begin to see that a drama is not an engine, running at full speed from the overture to the final curtain, but a living organism. And we see light as a part of that livingness (Jones, p. 114).

And... "Lucidity, penetration, awareness, discovery, inwardness, wonder.... These are the qualities we should try to achieve in our lighting." (Jones, p. 121).

And perhaps best... "Does this mean that we are to carry images of poetry and vision and high passion in our minds while we are shouting out orders to electricians on ladders in light-rehearsals? Yes. This is what it means." (Jones, p. 128)

Vectorworks

According to the Nemetschek Web site,

Nemetschek North America, Inc., is a wholly-owned subsidiary of European software giant Nemetschek AG. A global leader in design technologies, Nemetschek North America has been developing CAD software for the architecture, engineering, and construction; entertainment; landscape design; and manufacturing fields since 1985. Vectorworks, its flagship product, is one of the world's best-selling cross-platform CAD applications and has won many industry awards (<http://www.nemetschek.net/company/history.php>, 12/08/08).

MiniCAD, the predecessor of Vectorworks, was originally written by Richard Diehl, legend has it at his kitchen table, and was first published by Diehl Graphsoft in 1985. Initially a Macintosh-only application, MiniCAD 6 became cross-platform in 1996. MiniCAD 7 updated to Vectorworks 8 in 1999. Nemetschek AG purchased Diehl Graphsoft in 2000 and created Nemetschek North America, Inc. In 2001, Vectorworks added the Spotlight package as an add-on, along with several other "vertical" products. Vectorworks is currently configured as a Fundamentals level with Spotlight, Renderworks, Architect, Landmark, and Machine Design as separate products. The Designer package includes all of the add-ons.

Early in its history, Diehl Graphsoft identified theatrical design as a viable market and is the only major publisher of CAD software that I am aware of who intentionally hired developers with theatre backgrounds to support theatrical applications of that software. In the mid-1990s, Diehl Graphsoft hired Frank Brault to develop some theatre-specific macros and symbols. Frank Brault came from a professional theatre and dance background with lighting experience. The Lighting Toolkit package grew out of his initial work. Sometime thereafter, Kevin Moore and Kevin Linzey were hired, first as student interns and then full-time. Kevin Moore took over Spotlight development. Both Kevins had theatre backgrounds, and both have worked for me on various shows and events. Kevin Moore eventually left NNA to return to event, production, and management work, and Kevin Linzey moved into the lead Spotlight developer role. Kevin Linzey does still occasionally work in theatres while keeping his "day job" with NNA. The people working on and with Spotlight know theatre as well as software development. The ongoing commitment to theatre on the corporate level AND the individual level is a huge advantage for all of us.

As noted above, MiniCAD, Vectorworks' predecessor, was developed initially for the Macintosh. More than a decade after the first PC release, though, Vectorworks remains a cross-platform program. It works equally well on a PC as it does on a comparable Macintosh. There are no real programming differences. Files created on one can be opened and used on the other and traded back and forth with no issues. There are some minor differences, mainly visual, created by how the two operating systems work. As an example, in the PC world, palettes can be floating or "docked" into the program's window. On the Mac, the drawing window and all the palettes are always separate floating windows. I should mention that all screenshots used here are from the Macintosh version.

The first edition of LIGHT PLOT DECONSTRUCTED came out during the Vectorworks 2009 “model year.” I stated then that the concepts and general usage of the book were not specific to one version of Vectorworks. I would still say that with some modification for changes in Workspaces and tools, this book should work fine with many versions of Vectorworks. This book is more about approach as opposed to a step-by-step tutorial.

That said, we have upgraded this version to reflect Vectorworks 2010. There are more than 80 improvements in Vectorworks 2010 that make this a really important upgrade. Vectorworks Spotlight received some of those improvements. There are some new tools; prime among them are some very nice video projection tools initially developed by C. Andrew Dunning of Landru Design, improved and incorporated into Spotlight. Improvements in event planning and staging tools will have obvious implications for those designing conventions or other events. Some interface improvements in Vectorworks 2010 make drawing the plot easier. For example, when a lighting instrument is made active in the Resource Browser, the Instrument Insertion tool is selected automatically. In past versions, the Symbol Insertion tool was made active and we had to remember to pick the Instrument Insertion tool. Likewise, in Vectorworks 2010, pick an accessory and the Accessory Insertion tool become the active tool. A small but very nice improvement; one of several.

For lighting designers, Lightwright 5 has just been released as I write this, and the dynamic interaction between Vectorworks Spotlight and Lightwright that I spoke about in the first edition is now a reality! Lightwright has been rewritten from the ground up, and is a huge improvement in handling information in our field.

Never mentioned in the First Edition is that Vectorworks 2009 experienced a similar transformation. The core code that controls the 3-dimensional aspects of Vectorworks was completely replaced. As you read through this book, one of the things I stress is that the outcome that this book is devoted to is a 2-dimensional drawing- the plot, printed. Starting with Vectorworks 2009 and continuing into Vectorworks 2010, the way that 2-dimensional information is handled is changing. While most of the changes will have little impact on “the plot,” the overall way Vectorworks now deals with 2D information is worth exploring.

The simplest way to explain this is that 2D geometry and information now interacts with 3D space. In past versions of Vectorworks, I could draw a rectangle using the 2D rectangle tool. I could then change to any 3D view- front, front-left isometric, rear, whatever, and the rectangle “hovered” in front of the view; parallel, if you will, to the screen.

In Vectorworks 2010, I can now define different ways to deal with those 2D objects. 2D objects can be either in the “Screen Plane” in that they will always be “parallel” to the screen regardless of the view “behind” them, or they can be in the “Layer Plane,” which means they are always in the X,Y plane with no Z presence at all. Layer Plane objects appear in 3d views as if they are laying “on the floor.” This is very handy for seeing a 2D floorplan while in 3D views. 2D objects drawn in the Top/Plan View will default to Layer Plane, while 2D objects drawn in any other view will be in the “Screen Plane.” There is a drop-down menu that allows 2D objects to change from one to the other.

What is not possible at this point is 2d objects that have a relationship to specific 3d views. Dimensions and text notes deserve a special mention. Being 2-dimensional objects, when a text note is added to a 3d view, that text note, as a 2d object, is not related to its 3d counterparts in any other view.

Dimensions have some new properties, especially when dealing with 2D and some 3D objects. In Vectorworks 2009, a 2D rectangle could be dimensioned with the Dimension tool, and the dimensions would be “associated.” If the size of the rectangle was changed, the dimensions would also change. Vectorworks 2010 carries this relationship a step further. I can double-click on the dimension itself, type in the new dimension just like editing any text, and both the dimension AND the rectangle will change to match the new dimension. There are some other nice improvements with dimensions, but this one is really useful.

Walls and other 3D objects have seen some improvements as well, and snaps in 3D views are much improved. The new Unified View Command makes working in 3D space much more intuitive, and the ease of Working Plane alignment really helps.

Since almost everything referenced in this book deals with the plot as a 2D document, and I work in Top/Plan view almost exclusively when creating the plot, many of these changes are not immediately noticeable. They are mentioned here as an FYI for further exploration of the very powerful 3D aspects of this software. Visit the Nemetschek NA website for a complete overview of the changes in Vectorworks 2010.

Illustrations, menu commands, and tool references have been updated to reflect Vectorworks 2010. Most of the tools and techniques I use are available in Spotlight and Renderworks added to the Fundamentals, though my copy of the software is a full Designer version, with all of the add-ons available from Nemetschek, N.A. I also use several third-party scripts and macros. While they may show up in screenshots, any techniques discussed here will be available to all Vectorworks Spotlight users with Renderworks. And, with a few exceptions, all of the techniques will work in earlier versions of Vectorworks as well.

Sample

In Ye Olde Days...

In “Ye Olde Days,” using a drafting machine, a parallel, or a T-square, we carefully squared a piece of vellum onto our drafting boards, taped it into place, and grabbing our lead holder or mechanical drafting pencil, began drafting...

Ah, but what and where?

While designing scenery, most often I'd start by squaring a bluelined print of the theatre floorplan to the drafting board, then lay a piece of vellum or, if still thinking, a piece of butterpaper over that. Butterpaper was much cheaper than vellum and so easily thrown away. Based on quick thumbnail sketches, rough sketchy workings of the floorplan would emerge. Another piece of butterpaper taped down; copy up the good stuff and keep thinking on paper. Then, slap the vellum on top of the stack on the drafting board and trace up the architecture and the rough set. Add the title block, and it's done.

Not quite. The floorplan is pulled off the board, another piece of vellum squared down, and elevations are started. Hmmm. Does that door look better if it is off center in the wall? Does that reflect the character of the inhabitants better? Sure, let's change it! So finish roughing in the elevations on that one page. Pull it up, and lay the floorplan back on the drafting board. Pull out the electric eraser, and move the door on the floorplan. Pull up the floorplan; lay down another sheet, and work those elevations. Hmmm. What can the audience see through that window? What can audience members in the balcony see? Pull up the elevation, lay down a blueline of the CenterLine section of the theatre and a piece of vellum, and rough in a section of the set. If we move that wall 6" further downstage, the masking can work with the existing linesets. Finish roughing it in, pull the section off the board, put the floorplan back down, dig out the eraser, and move the wall on the floorplan. Pull that up, tape the elevation back down and...

Well, only sometimes was the process quite so convoluted, but that was the thought process.

And deciding what each plate looks like was important. Plates of drafting are methods of communication, and composition of the plates was important in that communication. Leading the eye to the important information is part of the job of the composition. Which elevations would fit on which plate with which other elevation? Or with which detail? And where on the plate was best? Balance the tendency to read from top left with the reality of not flipping a whole set of drawings, stapled, all the way open. Top right becomes the first seen, though the placement of the title block may influence that. So, just like in any “artistic” composition, I use other elements to control emphasis and visual flow. Decisions about what would be on each plate needed to be made at the beginning of the process, and any changes in those decisions meant tedious redrafting of the entire plate(s).

Drawing a light plot was a little less complicated. I usually started with the floorplan of the set and the architecture of the theatre. In a multi-set show, the floorplans might be on different sheets, so again I would have multiple layers of vellum on the drafting board. The section drawing and a composite front elevation of the set were developed and kept close at hand to check the angles at which light was hitting the performer.

Lay down a fresh sheet of vellum, and draw indications of the areas to be lit. Using a drafting machine, squares are faster to draw than circles or ovals, so I marked my areas as squares. Of course I know that light doesn't naturally fall into nice neat squares, nor do I usually want it to, but it is a convenient visual representation. Next I might draw the existing lighting positions. Then add a fresh sheet of vellum and start drawing instrumentation. Use the drafting machine to mark the horizontal angle from the area to the position, check the section to make sure the vertical angle works. Mathematically calculate the distance of the throw. Check the size of the beam for the preferred instrument type at that throw, then get out the lighting template and draw the outline of the desired instrument. Add notes about color, channel, purpose, etc. Move to the next area. Wash. Rinse. Repeat. But wait! In order to get the right angles, these two instruments must hang in the same place. One has to move. And in order to keep instruments 18" apart—a long-standing industry "standard,"—that means four other instruments next to this one need to move also. Dig out the electric eraser, erase and redraw. Wash. Rinse. Repeat.

Once the rough plot is finished, I'd lay down yet another sheet of vellum and trace up all of the information that I wanted to appear on the plot. One of the major ways I control composition and visual importance in drafting is use of line weight. Line weight is achieved primarily through the darkness and the thickness of a line. In Ye Olde Days, this was achieved in several ways.

Graphite lead was used in "lead holders." Lead came in different hardnesses. Softer leads put more graphite on the page and were generally considered "darker" or "heavier" than harder leads. Harder leads were more suited to thinner lines, while softer leads worked better for thicker lines.

Sharpness of the lead created different line thicknesses. The lead was "twirled" in a lead sharpener to a razor sharp point, or a slightly blunted end. The resulting lead dust was removed by sticking the now-sharp lead into a "swab" of cotton, or of Styrofoam, or—my personal favorite — the end of a roll of toilet paper. The sequence of drawing a few lines, sharpening, and dusting created its own rhythm and Zen-like concentration. Sharpening stops were perfect times to contemplate the look of the object being drawn and make decisions about the next few lines.

Control of the lead holder was also critical. The lead had to be perpendicular to the page at all times or the point would be "wedged," and the resulting line would not be a consistent width. Drafting involved a subtle twist of the lead holder as lines were drawn to even the wear on the point.

I had one professor tell me that another part of the line weight equation was the indentation the pencil made in the paper. So control of the *depth* of the line was another method of line weight control when bluelining was the method of distribution. It took careful control to push the lead deep enough into the vellum to make a good trough, but not deep enough to rip through the vellum.

Mechanical drafting pencils were also available. Similar to mechanical pencils available everywhere, the thickness of the line was controlled by the thickness of the lead. Standards available included 0.03mm, 0.05mm, 0.07, 0.09, etc, and were placed in pencils sized to match. Such pencils made for drafting tended to be much more precise and well crafted than those available at the local store and had price tags to match. Leads of all sizes were available in different hardnesses, again, harder leads worked better for thinner lines and softer leads for thicker lines. Combinations, though, gave the drafter an almost infinite variety. Twirling the pencil was still necessary to keep an even line.

I often used ink drafting pens in addition to pencils. With ink, line weight was mainly a function of the thickness of the line. Pens came in different thicknesses just like mechanical pencils mentioned above, and the ink laid out from the pen—after some practice—reflected that thickness.

One advantage to using pens was that they did not erase easily. Therefore, all the preliminary work could be done with graphite, not paying any attention to lineweight or crisp stops to lines. Once the object was “finished,” it could be inked neatly with proper line weight. The rough-in of graphite could be erased, leaving only the ink. On the other hand, one disadvantage to using pens was that they did not erase easily...

The lighting instruments and their hanging positions should have prime focus, so the set and so forth might be drawn in lighter-weight lines. Architecture is copied up, then the lights themselves redrawn with the relevant information. For example, while roughing in the plot having the purpose of each light noted is very convenient when shuffling lights around. Having the purpose of each light on the final plot is not useful information, so that would not get traced up. On the rough plot, channel designations might be quickly noted while on the final plot I always put them inside a circle connected to each light. Lighting positions that on the rough plot are drawn as a continuous line are “broken” by instruments drawn on that position in the final version. Notes about trim heights are added, having been decided by working out sightlines and angles from the section drawing. Depending on the size of the drafting board, that may mean dislodging the plot-in-process to tape down and draw the section. Light plot finished, add the title block, and off it goes for distribution.

Distribution of drawings was mainly done via “bluelining” an original drawing done on vellum. The original was fed through a diazo blueline machine with a piece of light-sensitive paper under it. The ultraviolet lamp in the machine would cast the shadow of the original on the blueline paper. The original exited the machine while the paper then revolved through an ammonia-based developing process. Anything dark on the original came through as blue on the finished print. Subtle variations and shades translated; but not always quite as subtly as the original pencil.

If I needed ten copies of the drawings, I had to manually run the original with a piece of blueline paper through the blueline machine ten times. Last year I did a scenic design where the set of drawings had 24 sheets. In Ye Olde Days, that meant 240 trips to the blueline machine.

Luckily, most light plots are not so many sheets. The plot, printed, is ready to be distributed to the Master Electrician and anyone else who needs it.

But wait: there is still the paperwork to finish. Information about each and every light is noted—by hand In Ye Olde Days on blank forms drawn and reproduced for just such purposes. Photocopy those for all involved *if* there was a photocopy machine available. Hope that there are no changes “on the fly,” which necessitate changing multiple sheets of paper—by hand—for multiple people. John McKernon, author of *Lightwright*, tells the story of watching all of his tour mates go off to the beach while he remained in the hotel updating the plot and paperwork...again.

It all was a rather time- and thought-consuming process. And it was not always fun.

I was in graduate school in the mid-80s when a touring dance company came through the Performing Arts Center. I remember vividly a discussion with the Production Manager, who was travelling with one of the very first PCs. He could save and update his paperwork as quickly as he could type, and then print out new versions right then and there. The implications were obvious, and it was not long after that designers began working on preparing and presenting visual information on computers as well. Fast forward many years, and we now do what is basically the same process as outlined above, but with much less trauma and stress, not to mention much less drafting tape.

Still, the way I approach drafting a light plot in Vectorworks is very similar to the way we used to approach drafting by hand. Design Layers in Vectorworks are our sheets of vellum; we are always drawing *on* a virtual sheet of vellum. At the end of the process, we will “copy up” what we want to print to a Sheet Layer, placing elements there for visual communication. Line weight still gives us as much information as always, so it too gets “reproduced” in our digital approach. Communication is still the main point of drafting a light plot.

Vectorworks Basics

Opening a new document

I'll assume you have knowledge of your particular computer and operating system (OS). I'll also assume you have installed Vectorworks on your computer and have a working knowledge of "the basics." Again, most of the references made in this book are Macintosh-based since that is what I use, but "...click on the selection tool," or "...in the Modify menu" should be the same regardless. I'll note that there is a Mac/Windows dictionary in the Vectorworks manual that lists exact key and menu commands cross-referenced for each platform.

When Vectorworks is started, I have my preferences set so that no document is opened. Choosing "**New**" from the **File** menu pops up a dialog box asking what to do. "Create blank document" does just that, creating a "virgin" untitled document. Under "Use document template," choices can be made from files provided by NNA. In addition, a "default.sta" can be created and saved to be used at any time. The advantage of this is that any user can set up their own default to look like anything they want; choose scale, paper size, default layer and class assignments, default symbols, textures, and Vectorworks and document preferences, then save that setup as the default. Every time that document is opened, that setup will be used. Over the next few pages, I'll talk about my preferred setup, and then I'll talk about saving the default file.

When I open a new file, I see the following layout:




Illustration 1

Workspaces

Workspaces define how the menu commands, tools, and palettes are organized and define the “hot keys,” shortcuts that evoke particular tools or commands. Vectorworks ships with a series of predefined workspaces that can be chosen from the menu. Exactly which ones are available will depend on which modules of Vectorworks are installed. I’ll assume the Spotlight module is installed, so that is the workspace to start with. The image above (Illustration #1) actually shows the Spotlight Workspace.

Vectorworks does allow the tools, commands and menus to be customized to best suit individual working habits and to add additional tools or commands to the Workspace. I, for example, move often from my laptop by itself to my laptop with an additional monitor and therefore have two main workspaces customized and saved. Right now, using Vectorworks 2010, one of my workspaces is called gregg10_1scr, and the other is called gregg10_2scr. Both have custom menus, custom tool palettes, and saved scripts—the difference being where the palettes are located on the screen. When using two screens, I keep important palettes open and visible on the right monitor while the drawing area and basic tools fill the space on the left monitor. That layout is saved as gregg10_2scr. On the road when using just the laptop, I switch to gregg10_1scr where the palettes are collapsed up on top of the Drawing Window bar. On the Mac, palettes cannot dock into the window as in the PC world; each remains a separate floating window. But they can be collapsed and positioned as out of the way as possible.

Palettes

Tools used in Vectorworks are organized in palettes. In Vectorworks 2010, the basic 2D tools are in the Basic Palette. Other tools are arranged under tabs in the Toolset Palette. By clicking on the tab, tools in that category are displayed.

All of the tool palettes are “tear-offs” in that clicking on the tab bar of the palette, one can drag the tools anywhere on the screen so that they are not just in the Tool Palette. Moving the Tool Palette closer to where the actual work is being done saves a lot of mousing back and forth. Using “hot keys” will also save mousing—a keystroke can select a tool or execute a menu command. Learning the hot keys is a very good way to save time and energy while drafting. The key combination can be seen in the pop-up tool tips.

On the bottom of palettes is a pull-down menu which lets me choose whether I see the tools as colored icons, by name, or by both icon and name.

On the Mac, the Tool Palettes are separate “windows” that can be arranged anywhere on the screen, or screens. They can be made visible or invisible via key commands or via the Palettes Menu. They can be collapsed by double-clicking in the title bar. In Windows, the palettes can be free-floating windows, docked into the main Vectorworks window, or hidden using the Auto Hide feature.

Palettes can be manually reorganized to fit in any workflow. In addition to the Basic and Toolset Palettes, always on the left of my main screen, the palettes I use most often are the Navigation Palette, the Resource Browser, the Attributes Palette, and the Object Info Palette. I keep them open always, collapsed at the top of the screen when working with one screen, or open on the second screen to the right of the Drawing Window when using two screens. Vectorworks will remember the last location of all palettes and put them there when reopened. That is the first step in defining how to best work with Vectorworks. The second step is to customize Menus.

The custom scripts and tools that I use regularly have been added to an individualized tool palette called “greggs” and to a menu called “gregg10_2 (on my two-screen workspace) named so I know at a glance what workspace is active. In addition, I’ve gathered menu commands relating to Spotlight into one menu; Vectorworks ships with these menu commands organized by function in many other menus. I’ve also moved the new Event Planning menu commands under my Spotlight menu as well.

Scripts can be written by anybody and included in menus or as custom tools. Vectorworks includes a scripting language that can accomplish many things. Not a coding guru? Many repetitive commands can be “memorized” and saved as a simple script to be used again and again. The Spotlight command, and the include this option in the dialog box itself.

There are also freeware and shareware commands and tools readily available from other users. To find many of them, start with the community page at Nemetschek’s site, www.nemetschek.net/community/index.php. There are several theatre lighting specific scripts and tools available there and elsewhere. *AutoPlot*, for example, is just such a set of scripts. It is available via the community site mentioned above, or go right to the source at www.autoplotvw.com. I never leave home without it. I’ve mentioned the video screen tool available in Vectorworks 2010. It originated as a 3rd party toolset, and is still available for earlier versions of Vectorworks. The same author has several other tools, including a great curtain tool, and a new LED array tool. The link to Landru Design is available on one of the community pages (www.landru.design.com). While at the community page, also visit the Mailing Lists link, where there is a link to the Vectorworks Theatre Mailing List. Here you will find discussion of Vectorworks as used in theatre. Many questions are asked and answered here, including scripting theatre-specific macros. A member of that list working in a nontraditional space recently asked about numbering instruments in a clockwise fashion. Sam Jones, author of the *AutoPlot* macros, had a script written and posted within a day or so of the request. There is a wealth of information here!

Once acquired or made and saved, any of these scripts and tools can be added to a custom workspace. I’ll also rearrange the existing commands and tools to best suit my workflow. To do so in Vectorworks, I select menu:

Initially, I’ll choose to work on a copy of the existing Workspace, which as suggested before, should be the Spotlight Workspace. I’ll choose to “Edit a copy of the current workspace.”

I'll give the Workspace a new name. My Workspace name tells me which version of Vectorworks I made it for, and how many screens.

The Workspace Editor opens, first showing the menus editor tab. To make a new menu, drag the "New Menu" from the left of the box to the list of menus on the right. Select the new menu and rename it as desired. Then click and drag available commands from the left to the right under a new or existing menu. These do include existing Vectorworks commands as well as third-party commands, and the Workspace Editor now shows all of the new menu commands added in 2008, 2009, and 2010.




Illustration 2




Illustration 3


So, for example, the Vectorworks folks decided logically to put the Convert to Lighting Position command with the other Convert... commands. I'd rather have all of my Spotlight tools in one place. So I've created a Spotlight menu, and then I moved all the Spotlight commands, including the Convert to Lighting Position command, into that new menu. Unless I specifically remove the command from the other menu, it will stay there as well.

Within the Workspace Editor, "hot key" commands can be added or changed from the Vectorworks defaults. Some commands that I use often have no key commands, so I've given them one. Select the command in the Menus frame of the Workspace Editor, as I've selected the Add Surface command in Illustration #3. Then type in the desired key command with the proper radio button checked—in this case Command+Option+"A." If the key command is in use in Vectorworks elsewhere, I'll get a dialog asking if I really want to change it. If the sequence is used by the OS, the OS command usually trumps the application use.

If desired, I can edit the Document Contextual Menu—the menu that pops up when right-clicking in the document—and I can edit the Object Contextual Menu as well. I usually put my most-used *AutoPlot* commands in the Contextual Menu for easy access.

The biggest frustration with this process is that you can only move one command at a time into menus. *AutoPlot* contains over 50 commands. Rather than being able to select and move all of them to a new menu, each must be moved separately.

Once done rearranging menu commands, I'll click on the Tool tab, and do the same with Tool Palettes. I've created a new Tool Palette named "greggs," and moved most-used tools into it in addition to new tools I've created or downloaded from other sources. I can arrange them into



whatever sequence I like, including nesting tools “under” other tools. Custom icons can be added if desired. Unlike Menu commands, whole Tool Palettes can be moved when editing tools.

I can also remove or move tools from existing palettes. There are several of the tools in the Basic Tool Palette that I don't often use, so to save space, I've nested them under one icon for a shorter palette.

Once all of the tools and menus have been updated as desired, I'll click the "OK" button. The Workspace is now saved and is available in the menu.

Illustration 4

Customizing the space to improve workflow becomes an ongoing thing. While working, the thought occurs that if only that tool was available without clicking to other tool palettes, work would move faster. I'll pop right into Workspace Editor, make the change, and move on, now in a more seamless fashion.

Workspaces can be copied and shared between computers. If, however, custom scripts and tools are used, they will need to be copied along also. Where those custom scripts and Workspaces are located varies depending on the OS, but copy and move both the Workspace and the custom items.

The next step is to look at some of the other settings to create a default work environment.




Illustration 5